

IN THE CLAIMS:

1. (Currently Amended) A token dispensing apparatus comprising:
 - a token dispensing unit including a storage member for storing tokens;
 - a token selector unit for releasing a token from the storage member based on a user request;
 - 5 a container dispensing unit for dispensing a first container to receive the tokens including a container storage unit and a container separating unit for releasing the first container from the storage member to a position to receive a released token;
 - a first sensor unit for sensing the number of tokens released;
 - a second sensor unit for sensing the first container at the position to receive a released token;
 - 10 released token;
 - a first control means for receiving an output from the first sensor unit and comparing it with a predetermined value representative of a desired capacity of the first container to hold tokens and receiving an output from the second sensor unit to determine the existence of [[a]] the container at the position to receive a released token to enable the token selector unit to
 - 15 release tokens[[,]] ;
 - [[the]] a second control means ~~stops~~ for stopping the dispensing of the tokens when a predetermined value representative of the desired capacity is reached and compares the predetermined value with the total number of tokens requested, when the total number tokens are greater than the predetermined value and the second sensor unit indicates the first container is
 - 20 removed from the position to received released tokens[[,]] ;

[[the]] a third control means for automatically ~~aetivates~~ activating the container separating unit to release a second container when the second sensor unit senses the second container[[,]] ; and

25 [[the]] a fourth control means ~~aetivates~~ for activating the token selector unit to continue to release tokens under the monitoring of the ~~control~~ first sensor unit.

2. (Previously Presented) The token dispensing apparatus of Claim 1 further including operator control unit for inputting an amount of tokens to be dispensed and a displaying unit for displaying the status of tokens in each container.

3. (Previously Presented) The token dispensing apparatus of Claim 2 further including a coin receiving unit and a banknote receiving unit for inputting a monetary value in return for the amount of tokens to be dispensed.

4. (Previously Presented) A token dispensing device comprising:

a container dispensing unit which dispenses a first container for receiving tokens to a dispensing section based on a dispensing signal;

5 a token dispensing unit which dispenses the tokens to the first container located at the dispensing section;

an amount detecting unit which detects the amount of tokens dispensed into the first container;

10 an overflow preventing unit which outputs a removing signal for removing the first container which is located at the dispensing section and a stopping signal for stopping the dispensing of tokens by the dispensing unit, when the amount detecting unit detects a first predetermined amount of tokens dispensed into the first container;

a container detecting unit which detects the first container located at the dispensing section; and

15 a remaining amount dispensing means for automatically enabling the token dispensing unit and the container dispensing unit, based on a no-container signal from the container detecting unit, to dispense a second container to the dispensing section and to dispense a second predetermined amount of tokens into the second container.

5. (Previously Presented) The token dispensing device of Claim 4, further includes a displaying unit for providing indicia indicating removal of the container based on the removing signal.

6. (Original) The token dispensing device of Claim 4, where the amount detecting unit is a counter which counts tokens dispensed from the token dispensing unit.

7. (Currently Amended) A token dispensing apparatus comprising:
a token dispensing unit for releasing tokens including a storage member for storing tokens;
operator control panel for a user to designate a number of tokens to be released as a
5 dispensing signal;
a dispensing section having a container sensor unit;
a container dispensing unit for dispensing a container to receive the tokens including a container storage unit for supporting a stack of containers and a container separating unit for releasing an individual container from the container storage unit to the dispensing section to receive
10 a released token;

an amount detecting unit for sensing the amount of tokens released to the container at the dispensing section;

an overflow preventing unit including a display visible to a user to output a removing signal for removing the container which is located at the dispensing section and a
15 stopping signal for the token dispensing unit, when the amount detecting unit detects a predetermined amount of tokens in the container; and

a first control means for receiving an output from the amount detecting unit and comparing it with the predetermined amount representative of a capacity of the container to hold tokens and receiving an output from the container sensor unit to determine the existence of a
20 container at the dispensing section to receive a released token to enable the token dispensing unit to release tokens[[,]] ;

[[the]] a second control means ~~stops~~ for stopping the dispensing of the tokens when a predetermined value representative of the container capacity is reached, ~~drives~~ and for driving the display to output the ~~removal~~ removing signal to the user, and ~~compares~~ for comparing the
25 predetermined value with the total number of tokens requested, when the total number of tokens are greater than the predetermined value and the container sensor unit indicates the initial container is removed from the dispensing section[[,]] ;

[[the]] a third control means for automatically ~~activates~~ activating the container separating unit to release a second container and when the container sensor unit senses the second
30 container, the third control means activates the token dispensing unit to continue to release tokens under the monitoring of the ~~control means~~ amount detecting unit until the designated number of tokens are released to the user.

8. (Previously Presented) The token dispensing apparatus of Claim 7 further including a coin receiving unit and a banknote receiving unit for inputting monetary value in return for the amount of tokens to be dispensed.

9. (Currently Amended) A token dispensing apparatus of Claim 7 further including a means for monitoring a predetermined time period in which a container is at the dispensing section after a removing container signal is displayed and ~~displays~~ for displaying an error signal when the predetermined time period is exceeded.

10. (Previously Presented) A token dispensing apparatus of Claim 9 wherein the container dispensing unit has the container storage unit supporting a stack of containers positioned above the dispensing section, the containers are released to drop downward by gravity onto the dispensing section.

11. (Cancelled)

12. (Previously Presented) A token dispensing system having a container dispensing unit for providing a container at a dispensing section to receive the dispensed tokens, comprising:

a control panel for entering a designated number of tokens by a user to be

5 released;

means for positioning a first container having a capacity to store a predetermined number of tokens at the dispensing section by dropping the first container from the container dispensing unit to the dispensing section;

means for monitoring when a first container is positioned at the dispensing
10 section;
a token releasing unit for releasing tokens stored in the token dispensing
apparatus;
means for comparing the user entered designated number of tokens with the
predetermined storage capacity number of tokens of the first container at the dispensing section,
15 and when the entered designated number of tokens to be dispensed is greater than the
predetermined storage capacity only releasing the predetermined storage capacity number of
tokens from the token releasing unit;
a displaying unit for displaying information to the user on the token dispensing
apparatus;
20 means for displaying indicia on the displaying unit to remove the first container
with the dispensed tokens;
means for displaying an error signal after a predetermined time period if the first
container with the dispensed tokens is not removed;
means for sensing when the first container is removed from the dispensing section
25 and releasing a second container to drop from the container dispensing unit to the displaying
section when the entered designated number of tokens has not been completely released; and
means for determining if the remaining number of tokens that are to be dispensed
are equal to the predetermined capacity number of tokens of the second container and releasing
the lesser of the remaining number of tokens to be released and the predetermined capacity
30 number of tokens to the second container.